


Uni-jet D – PVC windows




Fitting requirements for Uni-Jet D

			A	B	C	D	E
			401 - 1450 480 - 1200	401 - 1450 951 - 1950	751 - 1600 480 - 1200	751 - 1600 951 - 1950	501 - 1200 1951 - 2450
Description	ML	Part Number					
1 Corner transmission at top	1	6-32021-00-0-1	1	1	1	1	1
2 Gear 15 - Variable handle height position SRH = Sash rebate height							
270 (SRH = 480-590)		G-22080-00-0-1	1		1		
430 (SRH = 591-750)		G-22081-00-0-1	1		1		
880 (SRH = 751-1200)	1	G-22082-00-0-1		1		1	
1130 (SRH = 951-1450)	1	G-22083-00-0-1		1		1	
1380 (SRH = 1201-1700)	2	G-22084-00-0-1		1		1	
1630 (SRH = 1451-1950)	2	G-22085-00-0-1		1		1	
2130 (SRH = 1951-2450)	3	G-22086-00-0-1					1
3 Corner transmission at bottom	1	6-32292-00-0-1	1	1	1	1	1
4 Stay arm connecting plate – SRW = Sash rebate width							
350 (SRW = 280-400) [1]		6-31512-03-0-1	1	1			
• Stay arm gr. 9 mm (280-500)		6-31672-XX-L/R-1	1	1			
• Stay arm gr.13 mm (280-500)		6-31690-XX-L/R-1	1	1			
350 (SRW = 401-500)		6-31512-03-0-1	1	1			
• Stay arm - gr. 9 mm (280-500)		6-31672-XX-L/R-1	1	1			
• Stay arm - gr. 13 mm (280-500)		6-31690-XX-L/R-1	1	1			
590 (SRW = 501-750)		6-31512-06-0-1	1	1			1
• Stay arm - gr. 9 mm (501-750)		6-31673-XX-L/R-1	1	1			1
• Stay arm - gr. 13 mm (280-500)		6-31691-XX-L/R-1	1	1			1
840 (SRW = 751-950)	1	6-31512-08-0-1			1	1	1
• Stay arm - gr. 9 mm (751-1200)		6-31674-XX-L/R-1			1	1	1
• Stay arm - gr. 13 mm (751-1200)		6-31692-XX-L/R-1			1	1	1
1040 (SRW = 951-1200)	1	6-31512-10-0-1			1	1	1
• Stay arm - gr. 9 mm (751-1200)		6-31674-XX-L/R-1			1	1	1
• Stay arm - gr. 13 mm (751-1200)		6-31692-XX-L/R-1			1	1	1
5 Vertical middle lock – SRH = Sash rebate height							
530 (SRH = 751-1100)	1	6-32075-05-0-1		1		1	
740 (SRH = 1101-1350)	1	6-32075-07-0-1		1		1	
1190 (SRH = 1351-1700)	2	6-32075-12-0-1		1		1	
1450 (SRH = 1701-2100)	2	6-32075-15-0-1					1
1890 (SRH = 2101-2450)	3	6-32075-19-0-1					1
6 Extension 590 mm	1	G-22385-07-0-1			1	1	1
7 Stay arm bearing		6-31636-06-0-1	1	1	1	1	1
Corner bearing		6-28742-22-0-*	1	1	1	1	1
Drill-in hinge		6-28744-00-0-1	1	1	1	1	1
Stay arm hinge cover		9-41695-00-0-*	1	1	1	1	1
Stay arm bearing cover		9-41653-00-0-*	1	1	1	1	1
Corner bearing cover		9-35461-00-0-*	1	1	1	1	1
Drill-in hinge cover		9-35485-00-0-*	1	1	1	1	1
8 Locking plate Se (Tilt function)		Acc. to profile	1	1	1	1	1
Locking plate		Acc. to profile	1-3	6-8	5-7	7-12	10-12
9 Dirigent F handle		6-28072-33-0-*	1	1	1	1	1
M5 x 40 mm screws		9-C5129-40-0-1	2	2	2	2	2
10 Failsafe - gr. 9 mm		6-31657-09-L/R-1		1		1	1
Failsafe - gr. 13 mm		6-31657-13-L/R-1		1		1	1


[1] SRW 280-400, SRH 350-450 only with corner transmission S at top (6-32238-00-0-1)

Uni-jet D – PVC windows

Rebate clearance 12 mm, groove 9 mm



Rebate clearance 12 mm, groove 13 mm



Uni-jet D – PVC windows



Dirigent handle

Description	Color	PU	Part Number
Dirigent handle with 7 x 29 mm spindle	Dark Brown	1	6-28072-29-0-5
	White	1	6-28072-29-0-7
	Silver	1	6-28072-29-0-11
Dirigent handle with 7 x 33 mm spindle	Dark Brown	1	6-28072-33-0-5
	White	1	6-28072-33-0-7
	Silver	1	6-28072-33-0-11
M5 x 40 mm screws for handle	Zinc	1	9-C5129-04-0-1

* = Color


PU = Packaging Unit



Additional information

- Made of aluminium
- Available in different finishes or white powder coated
- Screws are not included

Dimensions in mm



Tilt-turn hardware

Uni-jet D – PVC windows




Additional information

- Tilt-turn window handles
- Handle attached to plate
- Solid brass rosette and handle
- Spindle 7 x 35 mm
- Two M5 x 40 mm screws included

Adagio handle

Description	Color	PU	Part Number
Adagio handle with 7 x 35 mm spindle	Polished Brass	1	6-C0300-00-0-3
<i>Only available on special request</i>			
	Pewter	1	6-C0300-00-0-08
	Satin Nickel	1	6-C0300-00-0-11
* = Color		PU = Packaging Unit	

Dimensions in mm




Additional information

- Tilt-turn window handles
- Handle attached to plate
- Solid brass rosette and handle
- Spindle 7 x 35 mm
- Two M5 x 40 mm screws included

Maestro handle

Description	Color	PU	Part Number
Maestro handle with 7 x 35 mm spindle	Polished Brass	1	6-C0500-00-0-3
<i>Only available on special request</i>			
	Pewter	1	6-C0500-00-0-08
	Satin Nickel	1	6-C0500-00-0-11
* = Color		PU = Packaging Unit	

Dimensions in mm



Uni-jet D – PVC windows




Gear with 15 mm backset

Description	Color	PU	Part Number
270 mm gear	FerGUard	10	G-22080-00-0-1
430 mm gear	FerGUard	10	G-22081-00-0-1
880 mm gear	FerGUard	10	G-22082-00-0-1
1130 mm gear	FerGUard	10	G-22083-00-0-1
1380 mm gear	FerGUard	10	G-22084-00-0-1
1630 mm gear	FerGUard	10	G-22085-00-0-1
2130 mm gear	FerGUard	10	G-22086-00-0-1
* = Color		PU = Packaging Unit	

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Recutable at top and bottom

Dimensions in mm



Description	SRH	ML	Recutable top - bottom	A	B	C	D	E
G-22080-00-0-1	480-590	•	55 - 55	•	135	•	•	270
G-22081-00-0-1	591-750	•	80 - 80	•	215	•	•	430
G-22082-00-0-1	751-1200	1	250 - 250	•	440	585	•	880
G-22083-00-0-1	951-1450	1	250 - 250	•	565	710	•	1130
G-22084-00-0-1	1201-1700	2	250 - 250	450	690	835	•	1380
G-22085-00-0-1	1451-1950	2	250 - 250	450	815	1025	•	1630
G-22086-00-0-1	1951-2450	3	250 - 250	577	1065	1275	1753	2130

Uni-jet D – PVC windows



6-32021-00-0-1


Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Sash rebate width (SRW) 401-1600 mm
- Sash rebate height (SRH) 450-2350 mm

Corner transmission at top

Description	Color	PU	Part Number
Corner transmission at top with one middle lock	FerGUard	100	6-32021-00-0-1
* = Color		PU = Packaging Unit	

Dimensions in mm



6-32238-00-0-1


Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Sash rebate width (SRW) 280-400 mm
- Sash rebate height (SRH) 350-490 mm

Corner transmission S at top

Description	Color	PU	Part Number
Corner transmission S at top with one middle lock	FerGUard	100	6-32238-00-0-1
* = Color		PU = Packaging Unit	

Dimensions in mm



Uni-jet D – PVC windows



Corner transmission at bottom

Description	Color	PU	Part Number
Corner transmission with tilt function and one middle lock	FerGUard	10	6-32292-00-0-1
* = Color		PU = Packaging Unit	

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Sash rebate width (SRW) 751-1450 mm




Extension 590 mm

Description	Color	PU	Part Number
Recutable extension with one middle lock	FerGUard	10	G-22385-07-0-1
* = Color		PU = Packaging Unit	

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Use for windows wider than 750 mm
- Sash rebate width (SRW) 751-1600 mm

Dimensions in mm



Uni-jet D – PVC windows



Stay arm

Description	Color	PU	Part Number
Stay arm groove 9 mm SRW 280-500	FerGUard	10	6-31672-XX-L/R-1
SRW 501-750	FerGUard	10	6-31673-XX-L/R-1
SRW 751-1200	FerGUard	10	6-31674-XX-L/R-1

Stay arm groove 13 mm SRW 280-500	FerGUard	10	6-31690-XX-L/R-1
SRW 501-750	FerGUard	10	6-31691-XX-L/R-1
SRW 751-1200	FerGUard	10	6-31692-XX-L/R-1

XX = Sash overlap 18, 20 or 22 mm

* = Color

PU = Packaging Unit



Stay arm connecting plate

Description	Color	PU	Part Number
SRW 401-500	FerGUard	10	6-31512-03-0-1
SRW 501-750	FerGUard	10	6-31512-06-0-1
SRW 751-1000	FerGUard	10	6-31512-08-0-1
SRW 951-1200	FerGUard	10	6-31512-10-0-1


* = Color

PU = Packaging Unit

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver

Dimensions in mm



Description	SRW	ML	Recutable	Lenght	A			
6-31512-03-0-1	401-500	•	100	350	•	•	•	270
6-31512-06-0-1	501-750	•	250	590	•	•	•	430
6-31512-08-0-1	751-1000	1	250	840	537	585	•	880
6-31512-10-0-1	951-1200	1	250	1040	537	710	•	1130

Uni-jet D – PVC windows




Middle lock - hinge side

Description	Color	PU	Part Number
SRH 280-750	FerGUard	10	6-32010-00-0-1
SRH 721-1100	FerGUard	10	6-32075-05-0-1
SRH 1101-1350	FerGUard	10	6-32075-07-0-1
SRH 1351-1850	FerGUard	10	6-32075-10-0-1
SRH 1851-2100	FerGUard	10	6-32075-15-0-1
SRH 2101-2350	FerGUard	10	6-32075-19-0-1
* = Color		PU = Packaging Unit	

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver

Dimensions in mm



Description	SRH	ML	Length	A	B	C	D
6-32010-00-0-1	280-750	1	220	139	•	•	•
6-32075-05-0-1	721-1100	1	530	•	428	•	•
6-32075-07-0-1	1101-1350	1	740	•	638	•	•
6-32075-10-0-1	1351-1850	2	1050	•	428	948	•
6-32075-15-0-1	1851-2100	2	1450	•	638	1348	•
6-32075-19-0-1	2101-2350	3	1890	•	428	1088	1788

Uni-jet D – PVC windows



Side hung sash hinge


Description	Color	PU	Part Number
Groove 9 mm	FerGUard	100	6-31852-XX-0-1
Groove 13 mm	FerGUard	100	6-31853-XX-0-1

XX = Sash overlap 18, 20 or 22 mm

* = Color PU = Packaging Unit

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Used for side hung windows and inactive sash



Additional information


- Made of high-quality steel
- Surface sealing ferGUard Silver
- Used for side hung windows and inactive sash
- Used for windows higher than 1100 mm

Side hung middle hinge

Description	Color	PU	Part Number
Groove 9 mm	FerGUard	100	6-31854-XX-0-1
Groove 13 mm	FerGUard	100	6-31855-XX-0-1

XX = Sash overlap 18, 20 or 22 mm

* = Color PU = Packaging Unit



Uni-jet D – PVC windows



Tilt-turn, side hung and tilt sash fittings

Description	Color	PU	Part Number
Stay arm bearing	FerGUard	100	6-31636-06-0-1
Corner bearing	Brown	100	6-28742-22-0-5
	White	100	6-28742-22-0-7
* = Color		PU = Packaging Unit	

Additional information



- Made of high-quality steel
- Surface sealing ferGUard Silver
- Only available in complete box (100)



Drilling jig

Description	Color	PU	Part Number
Drilling jig for stay arm bearing and corner bearing	Grey	1	G-20726-XX-4-1
XX = According to profil			
	* = Color	PU = Packaging Unit	

Dimensions in mm



Uni-jet D – PVC windows



6-28744-00-0-1

Tilt-turn, side hung and tilt sash fittings

Description	Color	PU	Part Number
Drill-in hinge	FerGUard	100	6-28744-00-0-1
* = Color		PU = Packaging Unit	

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver
- Only available in complete box (100)




6-27410-XX-0-0

Drilling jig

Description	Color	PU	Part Number
Drilling jig for drill-in hinge	Grey	1	6-27410-XX-0-0
XX = Groove 9 or 13 mm			
* = Color		PU = Packaging Unit	

Dimensions in mm



Uni-jet D – PVC windows



Covers - Only available in complete box (100)

Description	Color	PU	Part Number
Cover for stay arm hinge	Brown	100	9-41695-00-0-5
	White	100	9-41695-00-0-7
Cover for corner bearing	Brown	100	9-35461-00-0-5
	White	100	9-35461-00-0-7
Cover for stay arm bearing	Brown	100	9-41653-00-0-5
	White	100	9-41653-00-0-7
Cover for drill-in hinge	Brown	100	9-35485-00-0-5
	White	100	9-35485-00-0-7

Cover set - Available in unit

Set of 4 covers for tilt-turn system	Brown	1	K-16790-00-0-5
	White	1	K-16790-00-0-7

Basic box for Uni-Jet - Available in unit

Basic box of 3 hinges and 4 covers	Brown	1	K-C5090-00-0-5
	White	1	K-C5090-00-0-7

* = Color

PU = Packaging Unit



Uni-jet D – PVC windows



Safety device

Description	Color	PU	Part Number
Failsafe - groove 9 mm	FerGUard	100	6-31657-09-L/R-1
Failsafe - groove 13 mm	FerGUard	100	6-31657-13-L/R-1
* = Color		PU = Packaging Unit	

Additional information

- Made of high-quality steel
- Surface sealing ferGUard Silver



Keys

Description	Color	PU	Part Number
Key Torx 15	Black	1	H-00809-15-0-0
Key Torx 15	Zinc	1	H-00346-15-0-0
* = Color		PU = Packaging Unit	

Additional information

- Made of steel
- Used to make adjustments on tilt-turn hardware